
PEX

PEX ENGINEERING LLP

An ISO 9001 : 2015 Company



PRICE LIST

Leading Manufacturers of :

Busbar Insulators and Control Panel Accessories

All Product are RoHS COMPLIANT

PEX PRODUCT PRICE LIST

Price List of Busbar Support

* Conical Insulator — Page No. 2
* Hexagonal Insulator — Page No. 3
* Finger Type Support & L Type Support — Page No. 4
* Connectors — Page No. 5
* Insulator for Horizontal Bars, TPN Support for Single & Double Busbar — Page No. 6


PEX ENGINEERING LLP

Billing Address
14 & 60, M.I.E BAHADURGARH HARYANA
Corres. Address
F-9, Shopping Centre-1, Mansarover Garden, New Delhi

Telephone:
+91 11 25116836
+91 11 25462125


Email
powermat@powermatindia.com

CONICAL SUPPORT



Cat No.	Insert MS	Height MM	Dimensions					Price List (Rs.) / Each DMC Red with MS Bush	Price List (Rs.) / Each DMC Red with Brass Bush
			Rt	Rb	Hb	TL	Hex		
PC-625	M 6	25	20	25	10	7	10	14.00	20.00
PC-630	M 6	30	26	30	10	7	10	14.00	20.00
PC-830	M 8	30	26	30	10	7	12	22.00	30.00
PC-835	M 8	35	26	30	12	10	12	25.00	35.00
PC-840	M 8	40	33	40	15	12	12	27.00	42.00
PC-1040	M 10	40	33	40	15	12	14	38.00	50.00
PC-1050	M 10	50	40	50	15	12	14	55.00	74.00
PC-1250	M 12	50	40	50	15	12	16	63.00	95.00
PC-1060	M 10	60	40	50	20	17	14	78.00	100.00
PC-1260	M 12	60	40	50	20	17	16	82.00	110.00
PC-1070	M 10	70	41	50	25	22	14	90.00	122.00
PC-1270	M 12	70	41	50	25	22	16	98.00	132.00


NEW INTRODUCTON





Cat No.	Insert MS	Height MM	Major Dia (D) mm	Minor Dia (d) mm	Bush length (Hb) mm	Price List (Rs.) / Each DMC Red with MS Bush
PC-62530	M 6	30	25	19	10	13.00
PC-63040	M 6	40	30	24	10	19.00
PC-83040	M 8	40	30	24	10	22.00
PC-84050	M 8	50	40	33	15	35.00
PC-104050	M 10	50	40	33	15	39.00


HEXAGONAL SUPPORT





Cat No.	Insert MS	Height MM	Dimensions					Price List (Rs.)/Each DMC Red with MS Bush	Price List (Rs.)/Each DMC Red with Brass Bush
			Rt	Rb	Hb	TL	Hex		
PX H-625	M 6	25	20	25	10	7	10	14.00	20.00
PX H-630	M 6	30	26	30	10	7	10	14.00	20.00
PX H-830	M 8	30	26	30	10	7	12	22.00	30.00
PX H-835	M 8	35	26	30	12	10	12	25.00	35.00
PX H-840	M 8	40	33	40	15	12	12	27.00	42.00
PX H-1040	M 10	40	33	40	15	12	14	38.00	50.00
PX H-1050	M 10	50	40	50	15	12	14	55.00	74.00
PX H-1250	M 12	50	40	50	15	12	16	63.00	95.00
PX H-1060	M 10	60	40	50	20	17	14	78.00	100.00
PX H-1260	M 12	60	40	50	20	17	16	82.00	110.00
PX H-1070	M 10	70	41	50	25	22	14	90.00	122.00
PX H-1270	M 12	70	41	50	25	22	16	98.00	132.00


FINGER SUPPORT

Cat No.	Dimension (mm)						Price List (Rs.) / Each	
	A	B	C	D	E	F	DMC Red	SMC Ivory
PX 106 S	7	50	22	14	10	-	21.00	25.00
PX 110 S	11	50	22	14	10	-	21.00	25.00
PX 112 S	13.7	50	22	14	10	-	21.00	25.00
PX 106 W	7	60	32	14	10	-	25.00	28.00
PX 110 W	11	60	32	14	10	-	25.00	28.00
PX 112 W	13.7	60	32	14	10	-	25.00	28.00
PX 106 K	7	70	40	19	14	-	42.00	49.00
PX 110 K	11	70	40	19	14	-	42.00	49.00
PX 112 K	13.7	70	40	19	14	-	42.00	49.00
PX 206 W	7	60	32	14	10	7	25.00	28.00
PX 210 W	11	60	32	14	10	9	25.00	28.00
PX 212 W	13.7	70	32	14	10	12	27.00	34.00
PX 206 K	7.2	70	40	19	14	5.8	42.00	49.00
PX 210 K	11	70	40	19	14	9	42.00	49.00
PX 212 K	13.7	70	40	19	14	12	42.00	49.00
PX 306 W	7.2	60	32	14	10	5.8	27.00	34.00
PX 310 W	11	80	50	14	10	9	44.00	49.00
PX 312 W	13.7	90	50	14	10	11	49.00	58.00
PX 306 K	7	70	40	19	14	5.8	42.00	49.00
PX 310 K	11	100	50	19	14	9	63.00	74.00
PX 312 K	13.7	100	50	19	14	12	63.00	74.00
PX 406 W	7.2	100	40	19	14	5.8	44.00	49.00
PX 406 K	7.2	100	50	19	14	5.8	63.00	74.00
PX 410 K	11	130	80	19	14	9	74.00	88.00
PX 412 K	13.7	130	80	19	14	12	74.00	88.00
PX 506 K	13.7	130	80	19	14	12	63.00	74.00
PX 606 K	13.7	130	80	19	14	12	63.00	74.00










L Type Busbar Support

Cat No.	Dimension	Price List (Rs.)/Each	
	H	DMC Red	SMC Ivory
PX L-60	60	24.00	28.00
PX L- 85	85	29.00	36.00
PX L-100	100	34.00	38.00
PX L-125	125	36.00	42.00
PX L-150	150	48.00	60.00




NEW INTRODUCTION


Connectors




Cat No.	Price List Rs./Each
PX TB-2108	46.00




Part Code : PXTB-2108
Mounting Hole : Ø6.5mm Bolt Grade : 6.8
Recommended Torque : 18.9 N-m




Cat No.	Price List Rs./Each
PXTB-3106	47.00




Cat No.	Price List Rs./Each
PXTB-3108	70.00




Part Code : PXTB-3106
Mounting Hole : Ø5.5mm Bolt Grade : 6.8
Recommended Torque : 7.85 N-m







Part Code : PXTB-3108
Mounting Hole : Ø8.25mm Bolt Grade : 6.8
Recommended Torque : 18.9 N-m




Cat No.	Price List Rs./Each
PXTB-4106	56.00




Cat No.	Price List Rs./Each
PXTB-4108	90.00




Part Code : PXTB-4106
Mounting Hole : Ø6.8mm Bolt Grade : 6.8
Recommended Torque : 7.85 N-m






Part Code : PXTB-4108
Mounting Hole : Ø8.25mm Bolt Grade : 6.8
Recommended Torque : 18.9 N-m




Insulator for Horizontal Bars


Cat No.	Dimension	Price List (Rs.)	
	H	DMC Red	SMC Ivory
PX SP -30	30	21.00	28.00



Cat No.	Price List Rs./Each
PX NBH-0425	42.00



Triple Pole Neutral (TPN) Support For Single Busbar



Cat No.	Dimension (mm)									Price List (Rs.)/Each	
	A	B	C	D	N	Z	Y	Y1	F	DMC Red	SMC Ivory
PX TPN 107/30	7	300	280	50	7	65	52.5	52.5	-	97.00	123.00
PX TPN 111/30	11	300	280	50	7	65	52.5	52.5	-	97.00	123.00
PX TPN 114/30	13.7	300	280	50	7	65	52.5	52.5	-	97.00	123.00
PX TPN 107/35	7	350	328	50	7	75	62.5	62.5	-	110.00	150.00
PX TPN 111/35	11	350	328	50	7	75	62.5	62.5	-	110.00	150.00
PX TPN 114/35	13.7	350	328	50	7	75	62.5	62.5	-	110.00	150.00
PX TPN 107/42	7	420	396	60	7	100	62.5	62.5	-	173.00	245.00
PX TPN 111/42	11	420	396	60	7	100	62.5	62.5	-	173.00	245.00
PX TPN 114/42	13.7	420	396	60	7	100	62.5	62.5	-	173.00	245.00
PX TPN 207/35	7	350	328	50	7	70	62	78	5.8	110.00	150.00
PX TPN 211/35	11	350	328	50	11	70	62	78	9	110.00	150.00
PX TPN 214/35	13.7	350	328	50	13.8	70	62	78	11.5	110.00	150.00
PX TPN 207/42	7	420	396	60	7	100	52.5	67.5	5.8	173.00	245.00
PX TPN 211/42	11	420	396	60	11	100	52.5	67.5	9	173.00	245.00
PX TPN 214/42	13.7	420	396	60	13.8	100	52.5	67.5	11.5	173.00	245.00

Terms and conditions:

1. Standard colour- DMC (Red), SMC (Ivory). For any other colour price will be Extra

2. F.O.R. Delhi.

3. All Taxes are extra as applicable at the time of dispatch.

POWERMAT EXPORTS PRICE LIST

* Panel Locks and Keys — Page no. 9
* Heat Shrinkable Sleeves — Page no. 10


POWERMAT EXPORTS PVT. LTD.


Billing & Correspondance Address
F-9, Shopping Centre-1, Mansarover Garden,
New Delhi-110015

Telephone
+91 11 25116836 / 25462125
Email:powermat@powermatindia.com


30%

Locks for Panelboards






A = 25 / 45 / 55 mm




Catalogue No. Screw Driver Lock	Price list (Rs.)
PX 101-125L	45.00
PX 101-130L	46.00
PX 101-135L	48.00
PX 101-140L	49.00
PX 101-145L	51.00
PX 101-150L	53.00
PX 101-155L	54.00

Catalogue No. Pin Type Lock	Price list (Rs.)
PX 101-225L	45.00
PX 101-230L	46.00
PX 101-235L	48.00
PX 101-240L	49.00
PX 101-245L	51.00
PX 101-250L	53.00
PX 101-255L	54.00




Catalogue No. Triangular Type Lock	Price list (Rs.)
PX 101-325L	45.00
PX 101-330L	46.00
PX 101-335L	48.00
PX 101-340L	49.00
PX 101-345L	51.00
PX 101-350L	53.00
PX 101-355L	54.00



Catalogue No. Square Type Lock	Price list (Rs.)
PX 101-425L	45.00
PX 101-430L	46.00
PX 101-435L	48.00
PX 101-440L	49.00
PX 101-445L	51.00
PX 101-450L	53.00
PX 101-455L	54.00

Butterfly Lock



Catalogue No. Butterfly lock	Price list (Rs.)
PX ZN101-52050W	48.00



Catalogue No. Panel Lock with Key	Price list (Rs.)
PX 101-KL25L	68.00
PX 101-KL30L	69.00
PX 101-KL35L	70.00
PX 101-KL40L	70.00
PX 101-KL45L	70.00
PX 101-KL50L	72.00
PX 101-KL55L	74.00



Catalogue No. Key	Price list (Rs.)
PX Screw Key PX101-K1	25.00
PX Pin Key PX101-K2	25.00
PX Triangular Key PX101-K3	25.00
PX Square Key PX101-K4	25.00

Terms and conditions:

1. **All Taxes are extra as applicable at the time of dispatch.**
2. **F.O.R. Delhi.**

42.5 %

HEAT SHRINKABLE SLEEVES

Application :	Bus Bar Insulation for Low Tension System in Control Panels and Switchgear Systems.		
Colour :	Red ; Yellow ; Blue ; Black		
Properties:	a)	Working Temperature	: 90^{o} C
	b)	Dielectric Strength	: 10 KV/mm
	c)	Insulation Resistance	: 20 x 10^{10} Ohms at 500 V DC
	d)	Tensile Strength	: 400 Kg/cm (min.)
	e)	Ultimate Elongation	: 11 % (min.)
	f)	Chemical Resistance	: Good
	g)	Fire Resistance	: Self Extinguishing
	h)	Shrinkable Temperature	: 150^{o} C – 170^{o} C for 4-5 min.
	i)	Shrinkage	: 30 % - 35 %
	j)	Dimensional Variance	: ± 1.5 mm (for size 17mm to 61 mm) ± 3 mm (for size 73mm to 230 mm)
	k)	Thickness	: 0.17 ± 0.02 mm

Width (mm)	Maximum Bus Bar Size	Price List / Mtr (Rs.)
17	9 x 3 mm ; 10 x 3 mm	7.50
20	9 x 6 mm ; 10 x 6 mm ; 12 x 3 mm	8.00
27	12 x 6 mm; 15 x 3 mm	9.00
30	16 x 3 mm; 18 x 6 mm; 20 x 3 mm	9.50
35	20 x 6 mm; 25 x 3 mm	11.00
41	25 x 6 mm; 25 x 10 mm	13.00
48	25 x 12 mm; 30 x 6 mm; 30 x 10 mm	15.00
55	30 x 12 mm; 38 x 6 mm	16.00
61	38 x 12 mm; 40 x 6 mm; 40 x 10 mm; 40 x 12	18.00
73	50 x 6 mm	22.00
81	50 x 10 mm; 50 x 12 mm	24.00
85	60 x 6 mm; 60 x 10 mm	24.50
93	75 x 6 mm	25.00
103	75 x 12 mm; 80 x 6 mm	34.00
110	80 x 12 mm; 90 x 6 mm; 90 x 12 mm	35.00
128	100 x 6 mm; 100 x 10 mm	38.00
140	100 x 12 mm	41.00
170	125 x 6 mm; 125 x 10 mm	50.00
190	150 x 6 mm; 150 x 10 mm; 150 x 12 mm	55.00
210	175 x 6 mm; 175 x 10mm; 175 x 12 mm	66.00
230	200 x 12 mm	72.00



Terms and conditions:

1. All Taxes are extra as applicable at the time of dispatch.
2. F.O.R. Delhi.
3. Standard 1 Roll = 50 Mtr

PEX

PEX

PEX ENGINEERING LLP

Powermat Exports Pvt. Ltd.

F-9, Shopping Centre-1, Mansarovar Garden,
New Delhi - 110015 (INDIA)
Tel. : +91-11-25462125 / 25116836 / 25166305 / 25166306